


Fast, Accurate Environmental Testing

Using Zebron GC Columns

Featuring

- Pesticides
- Diesel Range Organics
- Semivolatiles
- Dioxane
- And more.....

Semi-Volatile Organic Compounds




Column: Zebron™ ZB-SemiVolatiles
Dimensions: 30 meter x 0.25 mm x 0.25 μ m
Part No.: 7HG-G027-11
Injection: Split 10:1 @ 280 °C, 1 μ L
Recommended Liner: Zebron PLUS Single Taper with Wool, 4 mm ID
Liner Part No.: AG2-0A11-05 (for Agilent® Systems)
Septum: AG0-4697 (PhenoRed™-400)
Inlet Seal: AG0-8620 (Easy Seals™)
Carrier Gas: Helium @ 1.4 mL/min (constant flow)
Oven Program: 40 °C for 0.5 min to 260 °C @ 40 °C/min to 295 °C @ 6 °C/min to 325 °C @ 25 °C/min for 2 min
Detector: MSD @ 340 °C; 45 – 450 amu
Sample: Analytes are 25 ppm in dichloromethane

See entire analyte list and technical note at www.phenomenex.com/search


TN-2039

Bases, Acids, and Neutrals by GC-MS

Standard Curve at 25 μ g/mL



Waste Water Matrix Extraction




Column: Zebron ZB-SemiVolatiles
Dimensions: 30 meter x 0.25 mm x 0.25 μ m
Part No.: 7HG-G027-11
Injection: Splitless @ 250 °C, 1 μ L
Recommended Liner: Zebron PLUS Single Taper with Wool, 4 mm ID
Liner Part No.: AG2-0A11-05 (for Agilent Systems)
Septum: AG0-4697 (PhenoRed™-400)
Inlet Seal: AG0-8620 (Easy Seals)


Carrier Gas: Helium @ 1.6 mL/min (constant flow)
Oven Program: 40 °C for 0.66 min to 260 °C @ 30 °C/min to 295 °C @ 6 °C/min to 325 °C @ 25 °C/min for 2 min
Detector: MSD @ 300 °C; 40-500 amu

Chlorinated Pesticides using Hydrogen

A) Zebron™ ZB-CLPesticides-1




B) Zebron ZB-CLPesticides-2



Column: As listed	Inlet Seal: AG0-8620 (Easy Seals™)	Sample: Analytes are 100ng/mL in hexane
Dimensions: A) 30 meter x 0.32 mm x 0.32 μm B) 30 meter x 0.32 mm x 0.25 μm	Carrier Gas: Hydrogen @ 3.5 mL/min (constant flow)	1. 2,4,5,6-TCMX (Surr) 12. 4,4'-DDE
Part No.: A) 7HM-G028-51 B) 7HM-G029-11	Oven Program: 85 °C for 0.5 min to 195 °C @ 45 °C/min for 3 min to 330 °C @ 30 °C/min	2. a-BHC 13. Dieldrin
Injection: Splitless @ 250 °C, 1 μL	Detector: ECD @ 330 °C	3. γ-BHC 14. Endrin
Recommended Liner: Zebron PLUS Single Taper with Wool, 4 mm ID		4. β-BHC 15. 4,4'-DDD
Liner Part No.: AG2-0A11-05 (for Agilent® Systems)		5. δ-BHC 16. Endosulfan II
Septum: AG0-4697 (PhenoRed™-400)		6. Heptachlor 17. 4,4'-DDT
		7. Aldrin 18. Endrin aldehyde
		8. Heptachlor epoxide 19. Methoxychlor
		9. trans-Chlordane 20. Endosulfan sulfate
		10. cis-Chlordane 21. Endrin ketone
		11. Endosulfan I 22. Decachlorobiphenyl (Surr)


1,4-Dioxane by GC-MS

Tap Water Extracted Ion Chromatogram at 25 ng/mL



Column: Zebron ZB-624	Recommended Liner: Zebron PLUS Single Taper Z-Liner™, 4 mm ID	Carrier Gas: Helium @ 1.5 mL/min (constant flow)
Dimensions: 30 meter x 0.25 mm x 1.4 μm	Liner Part No.: AG2-0A13-05 (for Agilent Systems)	Oven Program: 30 °C for 1 min to 90 °C @ 20 °C/min to 250 °C @ 50 °C/min
Part No.: 7HG-G005-27	Septum: AG0-4697 (PhenoRed-400)	Detector: MSD @ 250 °C
Guard Column: 5 m Z-Guard™ (7AG-G000-00-GZ0)	Inlet Seal: AG0-8620 (Easy Seals)	Sample: 1. THF-d8 2. 1,4-dioxane-d8 3. 1,4-dioxane
Injection: Splitless @ 200 °C (hold 0.5 min), 2.0 μL		

Multi-Residue Pesticides by GC-MS




Column: Zebtron™ ZB-MultiResidue™-1
Dimensions: 30 meter x 0.25 mm x 0.25 μm
Part No.: 7HG-G016-11
Injection: Splitless @ 260°C, 1 μL
Recommended Liner: Zebtron PLUS Single Taper with Wool, 4 mm ID
Liner Part No.: AG2-0A11-05 (for Agilent® Systems)
Septum: AG0-4697 (PhenoRed™-400)
Inlet Seal: AG0-8620 (Easy Seals™)
Carrier Gas: Helium @ 0.9 mL/min (constant flow)
Oven Program: 80°C for 0.5 min to 150°C @ 10°C/min to 240°C @ 4°C/min to 320°C @ 15°C/min for 3 min
Detector: MSD @ 320°C; 45-400 amu
Sample: Analytes are 1 ppm in dichloromethane

See entire analyte list and technical note at www.phenomenex.com/search


TN-2021

Diesel Range Organics (DROs) by GC

Diesel Fuel



Hydrocarbons



Column: Zebtron ZB-5HT Inferno™	ZB-1HT Inferno
Dimensions: 15 meter x 0.32 mm x 0.10 μm	15 meter x 0.32 mm x 0.25 μm
Part No.: 7EM-G015-02	7EM-G014-11
Injection: On-Column @ 63°C, 0.1 μL	Splitless @ 300°C, 20 μL
Carrier Gas: Helium @ 2.7 mL/min (constant flow)	Helium @ 2 mL/min (constant flow)
Oven Program : 60°C to 375°C at 25°C/min	50°C for 2 min to 320°C @ 30°C/min for 5 min
Detector: FID @ 400°C	FID @ 330°C
Sample: Diesel Fuel was 200 ppm in Dichloromethane with Internal Standards at 50 ppm	
1. Decane	
2. Tetracontane	

Recommended Liner: Zebtron PLUS Single Taper, 4 mm ID
Liner Part No.: AG2-0A10-05
Septum: AG0-4696 (PhenoRed-400)
Inlet Seal: AG0-8620 (Easy Seals)

Select the GC Column for your Environmental Methods

Please contact your Phenomenex representative for additional products and assistance.

Essentials	Inferno™	Plus	Unlimited
ZB-624	ZB-50	ZB-WAX	ZB-5HT
	ZB-1 _{PLUS}	ZB-5 _{PLUS}	ZB-WAX _{PLUS}
			ZB-CLPesticides-1 & 2
			ZB-MultiResidue™-1 & 2
			ZB-SemiVolatiles



Drinking Water

Trihalomethanes by GC/MS with Selected Ion Monitoring (SIM)	●				
Volatile Halogenated Organics by Purge & Trap GC/PID/ELCD	●				
Volatile Aromatics and Unsaturated Organics by Purge & Trap GC	●				
1,2-Dibromoethane (EDB), 1,2-Dibromo-3-chloropropane (DBCP), and 1,2,3-Trichloropropane (123TCP) by GC				●	
Organohalide Pesticides & Aroclors by GC/ECD				●	●
Nitrogen & Phosphorus Containing Pesticides by GC/NPD					●
Chlorinated Pesticides by GC/ECD					●
Ethylene Thiourea (ETU) by GC/NPD				●	
2, 3, 7, 8-Tetrachlorodibenzo-p-dioxin by GC/HRMS					●
Chlorinated Acids by Liquid-Liquid Extraction, Derivatization and GC/ECD				●	
Nitrosamines by Solid Phase Extraction (SPE) and GC/MS/MS with Large Volume injection					●
1,4-Dioxane by Solid Phase Extraction (SPE) and GC/MS with Selected Ion Monitoring (SIM)					●
Triazine Pesticides and their Degradates by GC/MS					●
Purgeable Organic Compounds by GC/MS	●				
Semi-volatile Organic Chemicals by Solid Phase Extraction (SPE) and GC/MS					●
Phenols by Solid Phase Extraction (SPE) and GC/MS					●
Explosives and Related Compounds by Solid Phase Extraction (SPE) and GC/MS				●	
Endothall by Aqueous Derivatization, Liquid-Solid Extraction, and GC/ECD					●
Chlorinated Solvents & Disinfection Byproducts by Liquid-Liquid Extraction and GC/ECD				●	●
Halooacetic Acids and Dalapon by Liquid-Liquid Extraction, Derivatization, and GC/ECD				●	
Carbonyl Compounds by Pentafluorobenzylhydroxylamine Derivatization and GC/ECD					●



Waste Water


Purgeable Halocarbons by Purge & Trap GC	●				
Purgeable Aromatics by Purge & Trap GC	●				
Acrolein & Acrylonitrile Purge & Trap GC	●				
Phenols by GC/ECD					●
Phthalate Esters by GC/ECD				●	
Nitrosamines by GC/NPD					●
Organochlorine Pesticides and PCBs by GC/ECD					●
Nitroaromatics & Isophorone by GC/FID and GC/ECD					●
Polynuclear Aromatic Hydrocarbons by GC/FID					●
Haloethers by GC/ECD					●
2,3,7,8-Tetrachlorodibenzo-p-dioxin by GC/MS					●
Chlorinated Herbicides by GC/ECD				●	
Triazine Herbicides by GC/MS		●			
Organophosphorus Pesticides by GC/MS					●
Purgeable Volatiles by Purge & Trap GC/MS	●				
Base/Neutral and Acids by GC/MS					●
Tetra- through Octa-Chlorinated Dioxins and Furans by Isotope Dilution HRGC/HRMS			●		
Polybrominated Diphenyl Esters (PBDEs) by HRGC/HRMS					●
Organohalide Pesticides, Organophosphorus Pesticides, and Phenoxy-Acid Herbicides by GC					●
Volatile Organic Compounds by Isotope Dilution GC/MS	●				
Semi-volatile Organic Compounds by Isotope Dilution GC/MS					●
Organophosphorus Pesticides by GC/FPD					●
Phenoxy-Acid Herbicides by GC/ECD					●
Dazomet by GC/NPD					●
Pharmaceutical Volatile Organic Compounds by Purge & Trap GC or Isotope Dilution GC/MS	●				●
Polychlorinated Biphenyl (PCB) Congeners by HRGC/HRMS					●
Pharmaceutical Manufacturing Volatile Organic Compounds by GC/FID				●	



Solid Waste

Halogenated Volatile Organics by GC/ELCD	●				
Nonhalogenated Organics by GC				●	
Aromatic Volatile Organics by GC/PID		●			
Aromatic and Halogenated Volatiles by GC/PID or GC/ELCD	●				
Acrolein and Acrylonitrile by GC/FID	●				
Acrylamide by GC/ECD				●	
Phenols by GC/ECD or GC/FID					●
Phthalate Esters by GC/ECD					●
Organochlorine Pesticides by GC/ECD				●	●
Polychlorinated Biphenyls (PCBs) by GC/ECD				●	●
Nitroaromatics and Cyclic Ketones by GC/ECD or GC/NPD					●
Explosives by GC/ECD		●			
Polynuclear Aromatic Hydrocarbons by GC/FID					●
Chlorinated Hydrocarbons by GC/ECD					●
Aniline and Selected Derivatives by GC/NPD					●
Organophosphorus Pesticides by GC/FPD or GC/NPD					●
Chlorinated Herbicides by GC/ECD				●	
Volatile Organic Compounds by GC/MS	●				
Semi-volatile Organic Compounds by GC/MS					●
Polynuclear Aromatic Hydrocarbons (PAHs) by SPME and GC/MS with Selected Ion Monitoring (SIM)					●
Polychlorinated Dibenzo-P-Dioxins (PCDDs) and Polychlorinated Dibenzofurans (PCDFs) By HRGC/LRMS					●
Polychlorinated Dibenzo-P-Dioxins (PCDDs) and Polychlorinated Dibenzofurans (PCDFs) By HRGC/LRMS					●
Semi-Volatile Organic Compounds by GC/FT-IR					●
Bis(2-chloroethyl) Ether and Hydrolysis Products by Direct Aqueous Injection GC/FT-IR				●	

Ordering Information



Zebtron™ ZB-SemiVolatiles GC Columns

ZB-SemiVolatiles GC Columns

Length (m)	ID (mm)	df (μm)	Temp. Limits (°C)	Part No.
15	0.25	0.25	-60 to 325/350	7EG-G027-11
15	0.25	0.50	-60 to 325/350	7EG-G027-17
20	0.18	0.18	-60 to 325/350	7FD-G027-08
20	0.18	0.36	-60 to 325/350	7FD-G027-53
30	0.25	0.25	-60 to 325/350	7HG-G027-11
30	0.25	0.50	-60 to 325/350	7HG-G027-17
60	0.25	0.25	-60 to 325/350	7KG-G027-11

Zebtron ZB-1HT Inferno™ GC Columns


Length (m)	ID (mm)	df (μm)	Temp. Limits (°C)	Part No.
5	0.53	0.10	-60 to 400/430	7AK-G014-02
10	0.32	0.25	-60 to 400/430	7CM-G014-11
15	0.25	0.10	-60 to 400/430	7EG-G014-02
15	0.25	0.25	-60 to 400/430	7EG-G014-11
15	0.32	0.10	-60 to 400/430	7EM-G014-02
15	0.32	0.25	-60 to 400/430	7EM-G014-11
15	0.53	0.15	-60 to 400	7EK-G014-05
20	0.18	0.18	-60 to 400/430	7FD-G014-08
30	0.25	0.10	-60 to 400/430	7HG-G014-02
30	0.25	0.25	-60 to 400/430	7HG-G014-11
30	0.32	0.10	-60 to 400/430	7HM-G014-02
30	0.32	0.25	-60 to 400/430	7HM-G014-11
30	0.53	0.15	-60 to 400	7HK-G014-05

Zebtron ZB-5HT Inferno GC Columns

Length (m)	ID (mm)	df (μm)	Temp. Limits (°C)	Part No.
15	0.25	0.10	-60 to 400/430	7EG-G015-02
15	0.25	0.25	-60 to 400/430	7EG-G015-11
15	0.32	0.10	-60 to 400/430	7EM-G015-02
15	0.32	0.25	-60 to 400/430	7EM-G015-11
15	0.53	0.15	-60 to 400	7EK-G015-05
20	0.18	0.18	-60 to 400/430	7FD-G015-08
30	0.25	0.10	-60 to 400/430	7HG-G015-02
30	0.25	0.25	-60 to 400/430	7HG-G015-11
30	0.32	0.10	-60 to 400/430	7HM-G015-02
30	0.32	0.25	-60 to 400/430	7HM-G015-11
30	0.53	0.15	-60 to 400	7HK-G015-05
60	0.25	0.25	-60 to 400/430	7KG-G015-11

Note: If you need a 5 in. cage, simply add a (-B) after the part number, e.g., 7HG-G015-11-B. Some exceptions may apply. Agilent 6850 and some SRI and process GC systems use only 5 in. cages.

Ordering Information



Zebron™ ZB-CLPesticides GC Columns

ZB-CLPesticides-1 GC Columns

Length (m)	ID (mm)	df (µm)	Temp. Limits (°C)	Part No.
30	0.25	0.25	40 to 320/340	7HG-G028-11
30	0.32	0.32	40 to 320/340	7HM-G028-51
30	0.32	0.50	40 to 320/340	7HM-G028-17
30	0.53	0.50	40 to 320/340	7HK-G028-17

ZB-CLPesticides-2 GC Columns

Length (m)	ID (mm)	df (µm)	Temp. Limits (°C)	Part No.
30	0.25	0.20	40 to 320/340	7HG-G029-10
30	0.32	0.25	40 to 320/340	7HM-G029-11
30	0.32	0.50	40 to 320/340	7HM-G029-17
30	0.53	0.42	40 to 320/340	7HK-G029-16

Zebron ZB-MultiResidue™ GC Columns

ZB-MultiResidue-1 GC Columns

Length (m)	ID (mm)	df (µm)	Temp. Limits (°C)	Part No.
20	0.18	0.18	-60 to 320/340	7FD-G016-08
30	0.25	0.25	-60 to 320/340	7HG-G016-11
30	0.32	0.25	-60 to 320/340	7HM-G016-11
30	0.32	0.50	-60 to 320/340	7HM-G016-17
30	0.53	0.50	-60 to 320/340	7HK-G016-17

ZB-MultiResidue-2 GC Columns

Length (m)	ID (mm)	df (µm)	Temp. Limits (°C)	Part No.
30	0.25	0.20	-60 to 320/340	7HG-G017-10
30	0.32	0.25	-60 to 320/340	7HM-G017-11
30	0.53	0.50	-60 to 320/340	7HK-G017-17

Zebron ZB-624 GC Columns

Length (m)	ID (mm)	df (µm)	Temp. Limits (°C)	Part No.
20	0.18	1.00	-20 to 260	7FD-G005-22
30	0.25	1.40	-20 to 260	7HG-G005-27
30	0.32	1.80	-20 to 260	7HM-G005-31
30	0.53	3.00	-20 to 260	7HK-G005-36
60	0.25	1.40	-20 to 260	7KG-G005-27
60	0.32	1.80	-20 to 260	7KM-G005-31
60	0.53	3.00	-20 to 260	7KK-G005-36
75	0.53	3.00	-20 to 260	7LK-G005-36
105	0.53	3.00	-20 to 260	7NK-G005-36

Note: If you need a 5 in. cage, simply add a (-B) after the part number, e.g., 7HG-G005-27-B. Some exceptions may apply. Agilent 6850 and some SRI and process GC systems use only 5 in. cages.

guarantee

If Zebron columns do not provide you with equivalent or better separations as compared to any other GC column of the same phase and comparable dimensions, return the column with comparative data within 45 days for a FULL REFUND!

More GC columns, kits, and accessories available at

www.phenomenex.com/GC

Fast, Accurate Environmental Testing

Using Zebron GC Columns

www.phenomenex.com/environmental

Australia

t: +61 (0)2-9428-6444
f: +61 (0)2-9428-6445
auinfo@phenomenex.com

Austria

t: +43 (0)1-319-1301
f: +43 (0)1-319-1300
anfrage@phenomenex.com

Belgium

t: +32 (0)2 503 4015 (French)
t: +32 (0)2 511 8666 (Dutch)
f: +31 (0)30-2383749
beinfo@phenomenex.com

Canada

t: +1 (800) 543-3681
f: +1 (310) 328-7768
info@phenomenex.com

China

t: +86 400-606-8099
f: +86 (0)22 2532-1033
phen@agela.com

Denmark

t: +45 4824 8048
f: +45 4810 6265
nordicinfo@phenomenex.com

Finland

t: +358 (0)9 4789 0063
f: +45 4810 6265
nordicinfo@phenomenex.com

France

t: +33 (0)1 30 09 21 10
f: +33 (0)1 30 09 21 11
franceinfo@phenomenex.com

Germany

t: +49 (0)6021-58830-0
f: +49 (0)6021-58830-11
anfrage@phenomenex.com

India

t: +91 (0)40-3012 2400
f: +91 (0)40-3012 2411
indiainfo@phenomenex.com

Ireland

t: +353 (0)1 247 5405
f: +44 1625-501796
eireinfo@phenomenex.com

Italy

t: +39 051 6327511
f: +39 051 6327555
italiainfo@phenomenex.com

Luxembourg

t: +31 (0)30-2418700
f: +31 (0)30-2383749
nlinfo@phenomenex.com

Mexico

t: 01-800-844-5226
f: 001-310-328-7768
tecnicomx@phenomenex.com

The Netherlands

t: +31 (0)30-2418700
f: +31 (0)30-2383749
nlinfo@phenomenex.com

New Zealand

t: +64 (0)9-4780951
f: +64 (0)9-4780952
nzinfo@phenomenex.com

Norway

t: +47 810 02 005
f: +45 4810 6265
nordicinfo@phenomenex.com

Puerto Rico

t: +1 (800) 541-HPLC
f: +1 (310) 328-7768
info@phenomenex.com

Spain

t: +34 91-413-8613
f: +34 91-413-2290
espinfo@phenomenex.com

Sweden

t: +46 (0)8 611 6950
f: +45 4810 6265
nordicinfo@phenomenex.com

United Kingdom

t: +44 (0)1625-501367
f: +44 (0)1625-501796
ukinfo@phenomenex.com

USA

t: +1 (310) 212-0555
f: +1 (310) 328-7768
info@phenomenex.com

All other countries Corporate Office USA

t: +1 (310) 212-0555
f: +1 (310) 328-7768
info@phenomenex.com



www.phenomenex.com

Phenomenex products are available worldwide. For the distributor in your country, contact Phenomenex USA, International Department at international@phenomenex.com

Terms and Conditions

Subject to Phenomenex standard terms & conditions, which may be viewed at www.phenomenex.com/TermsandConditions.

Trademarks

Inferno, MultiResidue, Z-Liner, EasySeals, PhenoRed, 1PLUS, 5PLUS, WAXPLUS, Z-Guard, and Zebron are trademarks of Phenomenex. Agilent is a registered trademark of Agilent Technologies, Inc.

© 2017 Phenomenex, Inc. All rights reserved.